





















# Components

<p>COMPLETE</p>  <p>Success Text</p> <p><b>Alerts</b> v1.0 • Banners with high &amp; low contrast versions</p>	<p>COMPLETE</p>  <p>Item title</p> <p><b>Badges</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>Title Description</p> <p><b>Banners</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>Item title Item title Item title Item title</p> <p><b>Bottom Nav Bar</b> v1.0 • Banners with high &amp; low contrast versions</p>	<p>COMPLETE</p>  <p>Primary</p> <p><b>Buttons</b> v1.0 • Buttons, button-groups &amp; links</p>
<p>COMPLETE</p>  <p>Card title Card content Primary</p> <p><b>Cards</b> v1.0 • Buttons, button-groups &amp; links</p>	<p>COMPLETE</p>  <p>content content content content content content</p> <p><b>Checkboxes</b> v1.0 • Banners with high &amp; low contrast versions</p>	<p>COMPLETE</p>  <p>Unremovable Tag 2 x Tag 3 x +New Tag</p> <p><b>Chips</b> v1.0 • Banners with high &amp; low contrast versions</p>	<p>COMPLETE</p>  <p>Title Step</p> <p><b>Drawers</b> v1.0 • Buttons, button-groups &amp; links</p>	<p>COMPLETE</p>  <p>input input element</p> <p><b>Input fields</b> v1.0 • -</p>
<p>COMPLETE</p>  <p>Master Information This is description</p> <p><b>Lists</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>50%</p> <p><b>Progress indicator</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>content content content content content content content content content content</p> <p><b>Radio Buttons</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>search search Cancel</p> <p><b>Search bar</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>Daily Weekly Monthly Quarterly Yearly</p> <p><b>Segmented Control</b> v1.0 • -</p>
<p>COMPLETE</p>  <p>Tab Tab Tab Tab Tab Tab Tab Tab</p> <p><b>Table</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>Tab Tab Tab Tab Tab Tab Tab Tab</p> <p><b>Tabs</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>On Off Disabled On Off</p> <p><b>Toggles</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>prompt text prompt text prompt text prompt text prompt text prompt text</p> <p><b>Tooltips</b> v1.0 • -</p>	<p>COMPLETE</p>  <p>melanin VILLAGE melanin VILLAGE melanin VILLAGE melanin VILLAGE melanin VILLAGE</p> <p><b>Top Nav Bar</b> v1.0 • Buttons, button-groups &amp; links</p>

## Table of contents

---

1. Alert
2. Badges
3. Banners
4. Bottom nav bar
5. Buttons
6. Cards
7. Checkboxes
8. Chips
9. Drawers
10. Input fields
11. Lists
12. Progress indicator
13. Radio buttons
14. Search bar
15. Segmented control
16. Table
17. Tabs
18. Toggle
19. Tooltip
20. Top nav bar

# Alerts

Alerts display alert messages to users. They provide actionable feedback and suggestions for users to take in order to complete a task.

Success Text	Error Text	Success Text <span>Swap</span>	Error Text <span>Swap</span>
Info Text	Warning Text	Info Text <span>Swap</span>	Warning Text <span>Swap</span>
Success Text <span>X</span>	Error Text <span>X</span>	Success Text <span>Swap</span> <span>X</span>	Error Text <span>Swap</span> <span>X</span>
Info Text <span>X</span>	Warning Text <span>X</span>	Info Text <span>Swap</span> <span>X</span>	Warning Text <span>Swap</span> <span>X</span>
✔ Success Text	✘ Error Text	✔ Success Text <span>Swap</span>	✘ Error Text <span>Swap</span>
ℹ Info Text	⚠ Warning Text	ℹ Info Text <span>Swap</span>	⚠ Warning Text <span>Swap</span>
✔ Success Text <span>X</span>	✘ Error Text <span>X</span>	✔ Success Text <span>Swap</span> <span>X</span>	✘ Error Text <span>Swap</span> <span>X</span>
ℹ Info Text <span>X</span>	⚠ Warning Text <span>X</span>	ℹ Info Text <span>Swap</span> <span>X</span>	⚠ Warning Text <span>Swap</span> <span>X</span>
Success Text Success Description Success Description Success Description	Error Text Success Description Success Description Success Description	Success Text <span>Swap</span> Success Description Success Description Success Description	Error Text <span>Swap</span> Success Description Success Description Success Description
Info Text Success Description Success Description Success Description	Warning Text Success Description Success Description Success Description	Info Text <span>Swap</span> Success Description Success Description Success Description	Warning Text <span>Swap</span> Success Description Success Description Success Description
Success Text <span>X</span> Success Description Success Description Success Description	Error Text <span>X</span> Success Description Success Description Success Description	Success Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description	Error Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description
Info Text <span>X</span> Success Description Success Description Success Description	Warning Text <span>X</span> Success Description Success Description Success Description	Info Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description	Warning Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description
✔ Success Text Success Description Success Description Success Description	✘ Error Text Success Description Success Description Success Description	✔ Success Text <span>Swap</span> Success Description Success Description Success Description	✘ Error Text <span>Swap</span> Success Description Success Description Success Description
ℹ Info Text Success Description Success Description Success Description	⚠ Warning Text Success Description Success Description Success Description	ℹ Info Text <span>Swap</span> Success Description Success Description Success Description	⚠ Warning Text <span>Swap</span> Success Description Success Description Success Description
✔ Success Text <span>X</span> Success Description Success Description Success Description	✘ Error Text <span>X</span> Success Description Success Description Success Description	✔ Success Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description	✘ Error Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description
ℹ Info Text <span>X</span> Success Description Success Description Success Description	⚠ Warning Text <span>X</span> Success Description Success Description Success Description	ℹ Info Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description	⚠ Warning Text <span>Swap</span> <span>X</span> Success Description Success Description Success Description


# Badges

---

Small numerical value or status descriptor for UI elements.

## When To Use

Badge normally appears in proximity to notifications or user avatars with eye-catching appeal, typically displaying unread messages count.



# Banners



# Bottom Nav Bar

Navigation bars (nav bars) provide access to three to five destinations. One navigation destination is always active.




**UI Location:** The nav bar is positioned at the bottom of screens for convenient access. Each destination is represented by an icon and optional text label.

**Usage:** When a navigation bar icon is tapped or focused, the user is taken to the navigation destination associated with that icon.

- Top-level destinations that need to be accessible from anywhere in the app
- Three to five destinations

**Navigation bars shouldn't be used for:**

- Single tasks, such as viewing a single email
- User preferences or settings



# Buttons

---


Primary buttons are used to emphasize on “complete” or “recommended” actions. There is at most one primary button per button group.

**Default button:** indicate a series of actions without priority.

**Hover button:** when mouse is hovered over the button. Not for mobile or tablet use!

**Pressed button:** used when pressed with a finger or clicked by a mouse

**Disabled button:** used when the button is non-functional




Text buttons have low emphasis.

## Text button

# Cards

A card can be used to display content related to a single subject. The content can consist of multiple elements of varying types and sizes.



The first card features a header image of an arctic fox on a ladder with the text 'ARCTIC FOX' below it. Below the image is the text 'Card title' and 'Card content', followed by a dark brown button with the text 'Primary'.

The second card is identical in layout to the first, featuring the same header image and text elements.



- Card title >
- Card title >
- Card title >

Card content

Primary





# Checkboxes

---

Checkboxes are used to select multiple values from several options.

**Note:** Checkboxes often works together with submit action for state.

A single checkbox can represent the switch of two states.



## Standard

True

False

## No Text


True

False

## Checked

## Indeterminate

## Disabled




# Chips/Tags

---

Chips/Tags allow users to enter information, make selections, filter content, or trigger actions. While buttons are expected to appear consistently and with familiar calls to action, chips should appear dynamically as a group of multiple interactive elements.




## Example use



# Drawers

A Drawer is a panel that is typically overlaid on top of a page and slides in from the bottom or side. It contains a set of information or actions. Since the user can interact with the Drawer without leaving the current page, tasks can be achieved more efficiently within the same context.



# Input fields

Input fields allow the user to enter information in the component.

The first group below is the input fields and the second is the text fields.

<p>input Input placeholder</p> <hr/>	<p>input Input placeholder <b>This is feedback.</b></p> <hr/>	<p><b>*input</b> Input placeholder</p> <hr/>	<p><b>*input</b> Input placeholder <b>This is feedback.</b></p> <hr/>
<p>input <b>input element</b></p> <hr/>	<p>input <b>input element</b> <b>This is feedback.</b></p> <hr/>	<p><b>*input</b> <b>input element</b></p> <hr/>	<p><b>*input</b> <b>input element</b> <b>This is feedback.</b></p> <hr/>
<p>input Input placeholder</p> <hr/>	<p>input Input placeholder <b>This is feedback.</b></p> <hr/>	<p><b>*input</b> Input placeholder</p> <hr/>	<p><b>*input</b> Input placeholder <b>This is feedback.</b></p> <hr/>
<p>input <b>input element</b></p> <hr/>	<p>input <b>input element</b> <b>This is feedback.</b></p> <hr/>	<p><b>*input</b> <b>input element</b></p> <hr/>	<p><b>*input</b> <b>input element</b> <b>This is feedback.</b></p> <hr/>

<p>text area Text area placeholder</p> <hr/>	<p>text area Text area placeholder <b>This is feedback.</b></p> <hr/>	<p><b>*text area</b> Text area placeholder</p> <hr/>	<p><b>*text area</b> Text area placeholder <b>This is feedback.</b></p> <hr/>
<p>text area <b>filled state</b></p> <hr/>	<p>text area <b>filled state</b> <b>This is feedback.</b></p> <hr/>	<p><b>*text area</b> <b>filled state</b></p> <hr/>	<p><b>*text area</b> <b>filled state</b> <b>This is feedback.</b></p> <hr/>
<p>text area Text area placeholder</p> <hr/>	<p>text area Text area placeholder <b>This is feedback.</b></p> <hr/>	<p><b>*text area</b> Text area placeholder</p> <hr/>	<p><b>*text area</b> Text area placeholder <b>This is feedback.</b></p> <hr/>
<p>text area <b>filled state</b></p> <hr/>	<p>text area <b>filled state</b> <b>This is feedback.</b></p> <hr/>	<p><b>*text area</b> <b>filled state</b></p> <hr/>	<p><b>*text area</b> <b>filled state</b> <b>This is feedback.</b></p> <hr/>

# Input fields- continued

Select fields allow for users to choose an option. The first group below is of the select fields and the second group is the drop down menu options.

<b>select</b> select placeholder	<b>select</b> select placeholder <b>This is feedback.</b>	<b>*select</b> select placeholder	<b>*select</b> select placeholder <b>This is feedback.</b>
<b>select</b> <b>select element</b>	<b>select</b> <b>select element</b> <b>This is feedback.</b>	<b>*select</b> <b>select element</b>	<b>*select</b> <b>select element</b> <b>This is feedback.</b>
<b>select</b> select placeholder	<b>select</b> select placeholder <b>This is feedback.</b>	<b>*select</b> select placeholder	<b>*select</b> select placeholder <b>This is feedback.</b>
<b>select</b> <b>select element</b>	<b>select</b> <b>select element</b> <b>This is feedback.</b>	<b>*select</b> <b>select element</b>	<b>*select</b> <b>select element</b> <b>This is feedback.</b>

1st menu item
2nd menu item

1st menu item
2nd menu item
3rd menu item

1st menu item
2nd menu item
3rd menu item
4th menu item


  

1st menu item
2nd menu item
3rd menu item
4th menu item



# Progress Indicator

Progress represented as a bar or circle graph, used for displaying the current progress of the task.





# Radio buttons

---

Radio button allows a user to select only one value from several options. Radio options should not be too many because all the options are default visible to a user so that the user can make the selection via comparison.

**Note: Radio Button must be more than two options, and normally less than five.**





# Search Bar

---

Mobile



The mobile search bar design is contained within a dashed purple border. It features two rows of input fields. The top row consists of a single wide search bar with a magnifying glass icon and the text 'search'. The bottom row consists of a shorter search bar with a magnifying glass icon and the text 'search', followed by a 'Cancel' button.

Web





The web search bar design is contained within a dashed purple border. It features two rows of input fields. The top row consists of a single wide search bar with a magnifying glass icon and the text 'search'. The bottom row consists of a shorter search bar with a magnifying glass icon and the text 'search', followed by a 'Cancel' button.

# Segmented control

---

When displaying multiple options and user can select a single option;

When switching the selected option, the content of the associated area changes.







# Tabs

Used to navigate between different content groups.

---



# Toggle / Switch

Represents an on-off switch between two states.

**Note:**  
The difference from checkbox is that switching switch will directly trigger state change, while checkbox is generally used for state marking and needs to cooperate with submit operation.

Example text



---

	System color	Primary color	Secondary color
On			
Off			
	Disabled	Disabled	Disabled
On			
Off			


# Tooltip

A simple text popup tip.

## When To Use

The tip is shown on mouse enter, and is hidden on mouse leave. The Tooltip doesn't support complex text or operations.

To provide an explanation of a button/text/operation.



# Top Nav Bar

The top navigation bar, positioned at the top of the screens, allows users to switch and navigate between UI views. It's for single tasks, such as going back to the previous page or backtracking a step, and for users to access account preferences or settings.

